



# ARES

SALES KIT



# ABOUT

215MM  
480MM  
425MM




TOP

FRONT

DUST FREE DESIGN WITH  
DUST FILTERS

BOTTOM



# I/O PORTS

USB 3.0 X 2

HD AUDIO  
MIC

USB 3.0 X 2

RESET

POWER







# SPACE-EFFICIENT INTERIOR

**A**

2.5" SSD

**B**

3.5" HDD



**B + B**

**A + B**

**A**

**MOTHERBOARD SUPPORT**  
**MINI-ITX, MICRO ATX, ATX**

**B**


**CPU COOLER HEIGHT**  
**≤ 165MM**

**C**

**MAX. VGA CARD LENGTH**  
**≤ 350MM**

**D**

**FRONT RADIATOR SPACE**  
**THICKNESS UP TO 27MM**





**E**


**MAX PSU LENGTH**

**≤ 200mm**

**F**

**CABLE MANAGEMENT SPACE**

**UP TO 28mm**



**F**





120 MM



140 MM

## FRONT

3 X 120MM OR 2 X 140MM

## TOP

2 X 120MM OR 2 X 140MM

## REAR

1 X 120MM OR 1 X 140MM




# RADIATOR CAPACITY


240 MM  
280 MM



120 MM




240 MM  
280 MM  
360 MM



120 MM



140 MM



240 MM



280 MM



360 MM





		<b>ARES-Black</b>	<b>ARES-White</b>
Part no.		<b>BFC-ARS-400-KKGXP-PC</b>	<b>BFC-ARS-400-WWGXP-PC</b>
EAN		<b>4712883219214</b>	<b>4712883219221</b>
UPC		<b>886027160718</b>	<b>886027160725</b>
Net weight (NW) Gross weight (GW)		<b>N.W:5.4Kgs / G.W:6.5Kgs</b>	<b>N.W:5.4Kgs / G.W:6.5Kgs</b>
<b>Materials</b>		Steel, Mesh, Plastic, Tempered Glass	
<b>Chassis Dimensions (W x H x D)</b>		L425*W215*H480 mm	
<b>Motherboard Supports</b>		Mini-ITX, MicroATX, ATX	
<b>M-ATX Motherboard Supports</b>		305mm x244mm	
<b>Air Cooler Height Support</b>		165mm	
<b>VGA Length Support</b>		350mm	
<b>Cable Management Support</b>		up to 28m	
<b>3.5" Drive Bay</b>		2+1	
<b>2.5" Drive Bay</b>		2+1	
<b>Fan mounts</b>	<b>Front</b>	3 x 120mm or 2 x 140mm	
	<b>Top</b>	2 x 120mm or 2 x 140mm	
	<b>Rear</b>	1 x 120mm or 1 x 140mm	
<b>Radiator Support</b>	<b>Front</b>	360mm x 1/280mm x 1/ 240mm x 1 (Thickness up to 27mm)	
	<b>Top</b>	280mm x 1/ 240mm x 1 (Thickness up to 27mm)	
	<b>Rear</b>	120mm x 1	
<b>PCI-E Slots</b>		7 Slots	
<b>I/O Ports</b>		2 x USB 3.0, 1 x USB, Audio I/O	
<b>Power Supply</b>		ATX & Standard / up to 200mm (Suggest up to 200mm)	