




MUSES

SALES KIT

ABOUT

L417x W230x H460MM



DUST FREE DESIGN WITH
DUST FILTERS

TOP



FRONT

BOTTOM



I/O PORTS

USB 3.0 X 2

HD AUDIO

MIC

RESET

POWER




SPACE-EFFICIENT INTERIOR

A

2.5" SSD

B

3.5" HDD



A

MOTHERBOARD SUPPORT

MINI-ITX, MICRO ATX, ATX

B

CPU COOLER HEIGHT

≤ 185MM

C


MAX. VGA CARD LENGTH

≤ 357MM

D

FRONT RADIATOR SPACE

THICKNESS UP TO 27MM



E


MAX PSU LENGTH

≤ 200MM

F

CABLE MANAGEMENT SPACE

UP TO 32.5MM



F





120 MM



140 MM

FRONT

3 X 120MM OR 2 X 140MM

TOP


2 X 120MM OR 2 X 140MM

REAR

1 X 120MM OR 1 X 140MM



RADIATOR CAPACITY



MUSES-Black		
Part no.	BFC-MUS-300-KKXKK-RP	
EAN	4712883219610	
UPC	886027161104	
Net weight (NW) Gross weight (GW)	N.W:5.4Kgs / G.W:6.4Kgs	
Materials	Steel, Mesh, Plastic, Tempered Glass	
Chassis Dimensions (W x H x D)	L417*W320*H460 mm	
Motherboard Supports	Mini-ITX, MicroATX, ATX	
M-ATX Motherboard Supports	305mm x244mm	
Air Cooler Height Support	185mm	
VGA Length Support	357mm	
Cable Management Support	up to 32.5m	
3.5" Drive Bay	1+1	
2.5" Drive Bay	1	
Fan mounts	Front	3 x 120mm or 2 x 140mm
	Top	2 x 120mm or 2 x 140mm
	Rear	1 x 120mm or 1 x 140mm
Radiator Support	Front	360mm x 1/280mm x 1/ 240mm x 1 (Thickness up to 27mm)
	Top	280mm x 1/ 240mm x 1 (Thickness up to 27mm)
	Rear	140mm x 1/ 120mm x 1
PCI-E Slots	7 Slots	
I/O Ports	2 x USB 3.0, Audio I/O	
Power Supply	ATX & Standard / up to 200mm (Suggest up to 200mm)	