



PROTON

SALES KIT

DIMENSIONS

Case : L373*W212*H470 mm



373MM



212MM




470MM

1 x USB 3.0, 2 x USB , Audio I/O






FAN CAPACITY



120 MM



140 MM

| | |
|--------------|------------------------|
| FRONT | 3 x 120mm or 2 x 140mm |
| TOP | 2 x 120mm or 2 x 140mm |
| REAR | 1 x 120mm |

240mm x 1 / 280mm x 1

(Thickness up to 27mm)


120mm x 1

360mm x 1



280mm x 1

240mm x 1

(Thickness up to 27mm)




RADIATOR SUPPORT



3X 2.5" Drive

1X 3.5" Drive



Mini-ITX
MicroATX
ATX

(305mm x244mm)

VGA Length Support **330**mm

ATX & Standard
up to **200**mm
(Suggest up to 185mm)



Cable Management Support **26**mm

Air Cooler
Height
Support
165mm

PROTON



| PROTON 4F-Black WITH BPA 600W | | |
|-------------------------------|---|--|
| Part no. | BFC-PROBR6KKGSK-4F | |
| Materials | Steel, Mesh, Plastic, Tempered Glass | |
| Dimensions | Case: L373*W212*H470 mm | |
| Motherboard Supports | Mini-ITX, MicroATX, ATX | |
| Air Cooler Height Support | 165mm | |
| VGA Length Support | 330mm | |
| Cable Management Support | up to 26m | |
| 5.25" Drive Bay | 0 | |
| 3.5" Drive Bay | 1 | |
| 2.5" Drive Bay | 3 | |
| Fan mounts | Front | 3 x 120mm or 3 x 140mm |
| | Top | 2 x 120mm or 2 x 140mm |
| | Rear | 1 x 120mm |
| Included Cooling Fan | Front | 3 x 120mm F-RGB Fan (Black Frame) |
| | Top | |
| | Rear | 1 x 120mm F-RGB Fan (Black Frame) |
| Radiator Support | Front | 360mm x 1/280mm x 1/ 240mm x 1 (Thickness up to 27mm) |
| | Top | 240mm x 1/280mm x 1 (Thickness up to 27mm) |
| | Rear | 120mm x 1 |
| PCI-E Slots | 7 Slots | |
| I/O Ports | 1 x USB 3.0, 2 x USB , Audio I/O | |
| Power Supply | ATX & Standard / up to 200mm (Suggest up to 200mm) | |
| Remark | CUFT: 2.38 CBM :0.067 Carton: L536*W274*H460 mm N.W: 5.4Kgs / G.W:6.5Kgs(w/o fans) | |